



ENGLISH

I ♥ K 

The **Kartell**lights collection



Kartell Lights

Kartell's table, suspended and floor lamps are both eclectic and catchy. They play with plastic material, take advantage of its technology and revisit classic shapes with irony.

Today, the whole light collection designed by Ferruccio Laviani has found the perfect layout concept: Kartell Lights is in fact the space that the company has created specifically for worldwide points of sale dedicated to light.

Kartell Lights is a total black setting, modular and easily adaptable to small and large spaces but always complete. It is composed by shiny panels and cubes that reflect colours and transparencies, geometries and plissé, baroque shapes and neutral lines, creating a neverending play of light. Beside every family of lamps, presented in its entire range of colours, is a chart illustrating technical features as well as available nuances.

Kartell lights are perfect to furnish both private and public spaces and naturally use plastic materials transparencies and colours.

A contemporary collection, a new way to interpret traditional lighting with a special touch. These objects show the extraordinary skills that the company, through his heritage of technological know-how acquired in 60 years of production, exploits in order to satisfy the boldest aesthetic ambitions.



TAKE
Des. Ferruccio Laviani

The classic table lamp icon, reinterpreted in a technological vein with a playful, informal and joyful design.

MATT

- G8/brass
- D7/white

TRANSPARENT

- B4/crystal
- G1/green
- G2/lime
- G3/red
- G4/orange
- G5/light blue
- G6/yellow



BOURGIE
Des. Ferruccio Laviani

Bourgie's unmistakable Baroque style, combining elegance and irony, has made it a cult object for lovers of design. Enchanting plays of light make it the focal point of any setting.

- B4/crystal
- G8/black

G9/chrome plated

G5/golden plated

B1/white - gold




CINDY
Des. Ferruccio Laviani

The table lamp typical of the '70s green new form and colour. Its distinctive feature is the shiny chrome-like finish that gives Cindy a touch of contemporaryness and richness.

MATT

- M1/platinum
- M2/dark gold
- M3/mint green
- M4/orange
- M5/rose ultramarine
- M6/fuchsia pink
- M7/pink
- M8/white



F
 La famiglia
 È un'opera d'arte completa,
 un'opera d'arte in più: il
 design è un'opera d'arte e
 l'illuminazione è un'opera d'arte.

EASY
 des. Ferruccio Laviani
 Lampada a sospensione dalla forma dinamica che dona
 all'ambiente calore e riflessi soffocati grazie
 al trattamento a filare trasparenti e colorati.

TAKE
 des. Ferruccio Laviani
 Decora classica dell'abat-jour rivisitata in chiave
 tecnologica, dal design giovane, informale e
 scherzoso.

- CORRENTI
- C01
 - C02
 - C03
 - C04
 - C05
 - C06
 - C07
 - C08
 - C09
 - C10

- MOULZONI
- M01
 - M02
 - M03
 - M04
 - M05
 - M06
 - M07
 - M08
 - M09
 - M10

- CORRENTI
- C01/nero
 - C02/bianco
- TRASPARENTI
- B4/cristallo
 - C1/verde
 - C2/azzurro
 - C3/rosso





Kartell Lights - Milano



Kartell Lights - Milano

Kartell

Lighting - New Arrival

Battery Ferruccio Laviani



Battery is an iconic compact lampshade. It is made from transparent PMMA and truly embodies innovation, being 100% rechargeable when plugged in and with a battery life of up to 8 hours. This allows it to be moved around extremely easily: perfect for use in outdoor restaurants and cafés. Battery features a crystal-coloured shade with a prismatic surface that throws out enchanting patterns of light, and a structure made from three different sophisticated metallic colours.

9140

Transparent

B4/crystal



9140



insulation class	directly fitted	degree of protection	volt	tension max power	attachment	weight lbs/kg.	unit price \$
------------------	-----------------	----------------------	------	-------------------	------------	----------------	---------------



IP 56

5

0,8W Led

0,84
0,380

242.00

width	height	dept
-------	--------	------

5 1/8
13

8 5/8
22

5 1/8
13

packaging


9140

quantity weight lbs/kg. volume m³

4

1.54/0,70

0,006



Material
transparent thermoplastic
technopolymer



Bourgie Ferruccio Laviani 2004



After the great success of the transparent, black, gold, silver, multicolor and white/gold versions, Kartell now offers three new and surprising copper version.


9072

Metallic

RR/copper



9072
(dimmer)



insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight lbs/kg	unit price \$
		IP 20	120	E12 type B max 3x28W HALO	7.48 3,400	640..00



Kartell BOURGIE

This luminaire is compatible with bulbs of the energy classes:

A++
A+
A
B
C
D
E

The luminaire is sold with a bulb of the energy class:

874/2012

diameter Ø	height
14 1/2 37	27÷31 68÷78

U9072

packaging quantity weight lbs/kg volume m³

U9072 1 12.2/5,500 0,129

Material
Metallic ABS






9263 / 9268

Metallic

GG/gold	
BR/bronze	
RR/copper	
XR/gold-bronze-copper	



Material
Metallic Technopolymer
thermoplastic

	class insulation	assembly direct	degree of protection	voltage volts	socket max. power	weight unit lbs/kg	unit price \$
9261 S2			IP20 class II	110	G9 max3x33 Halo	1.620	550.00
	diameter Ø 28	height diffuser 19	length cord 29÷219				
9266 S1			IP20 class II	110	G9 max6x33 Halo	5.900	1,300.00
	diameter Ø 53	height diffuser 35	length cord 45÷235				
9263							
9268							
packing	quantity	weight kg.	volume m ³				
	1	2.350	0.025				
	1	18.000	0.160				



Taj Mini Ferruccio Laviani 2013



Hot on the heels of the success of the Taj LED lamp is the mini version on a smaller scale, more versatile and practical. Mini Taj is a more discreet presence on the scene and is perfect on the night table but nevertheless makes a statement; it comes in a new color range distinguishing it from its "big sister".

9325
Metallic

- GG/gold
- RR/copper



Kartell TAJmini

This luminaire contains built-in LED lamps.

A++

A+

A

B

C

D

E

}

LED

The lamps cannot be changed in the luminaire.

874/2012

	insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight lbs/kg	unit price \$
W9325			IP20	24V dc	3W Led <small>*****</small>	0.600	450.00
	width	height	depth				
W9325	3 3/4 9.5	13 33	12 4/5 32.5				
packing	quantity	weight lbs/kg	volume m ³				
W9325 GG/RR	2	6,61/3,000	0,039				

Material
Metallic PMMA





An essential lamp which is characterized by the "subtle interpretations of the theme". Made in transparent methacrylate in all the colors of the rainbow, the cover is not perfectly hemispherical but the cut-off is underneath the height of the diameter to collect the most light. What's more, the special transparency of the material and the sheen of the colors bring to mind a soap bubble, iridescent with reflections of light.

9035

Metallic

XX/chrome	
GG/gold	
RR/copper	




KartellFLY

This luminaire is compatible with bulbs of the energy classes:

The luminaire is sold with a bulb of the energy class: **A**

874/2012

9035



insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight lbs/kg	unit price \$
		IP 20	120	E26 SB CFL max 25W globo	4.18 1,900	646.00
diameter Ø	diffusor height	length min-max				
20 1/2 52	13 33	19÷88 48÷223				

Material
Batch-dyed PMMA

packaging	quantity	weight lbs/kg	volume m ³
9035	1	8.8/4,000	0,128



Light-Air

Eugeni Quitlet

Light-Air, the "illusionist" table lamp, defies the laws of gravity with its suspended light and offers both practicality and aesthetics. Light-Air is basic, modern and rational, yet at the same time produces a magical effect. The structure of the table model lends it a strong character. The new version is composed of a rectangular frame in transparent or through-coloured engineering thermoplastic, housing a gold conical shade and a sculptured diffuser in the same plastic material. Alongside this model is a pendant version: transparent and entirely crystal-coloured with a sculptured shade or conical diffuser covered in plissé.



9130

Sculptured pendant

B4/crystal	
AM/amber	
RO/rose	
AZ/light blue	

9131


Fabric pendant

BE/beige plissé	
-----------------	--

9135

Sculptured table lamp

E6/black-crystal	
B4/crystal	
AM/amber	
RO/rose	
AZ/light blue	



		class of insulation	mounting	degree of protection	tension	mount power	weight lbs/kg.	unit price \$
9130				IP 20	120	E14 IBP max 28W Halo	1.05 0,480	225.00
9131				IP 20	120	E14 IBP max 28W Halo	1.05 0,480	264.00
		diameter Ø	diffusor height	length min÷max				
		5 1/2 14	7 1/8 18	7÷88 18÷216				
9135				IP 20	120	E14 IBP max 28W Halo	2.425 1,100	242.00
		width	height	depth				
		6 2/3 17	12 3/5 32	3 7.4				

Material

Frame: transparent thermoplastic technopolymer

Diffuser: transparent thermoplastic technopolymer covered in fabric

packaging	quantity	weight lbs/kg.	volume m ³
9130/9131	1	1.54/0,70	0,007
9135	1	3.2/1,450	0,015





The Rifly lamps join the Kartell by Laufen bathroom collection with two different models – the hanging lamp and the wall sconce. With essential lines and functional design, the two models come in crystal, chrome and gold versions. Although created for the bathroom collection, Rifly adapts to a wide range of uses.

9340 / 9350 / 9360 / 9370

Transparent

B4/crystal

9345/9355/9365

Metallic

XX/chrome

GG/gold



Kartell RIFLY

This luminaire contains built-in LED lamps.

A++
A+
A
B
C
D
E

LED

The lamps cannot be changed in the luminaire.

874/2012

	insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.	unit price \$
9340			IP 44	220-240	8W Led 	0,400	410.00
9345							480.00
9350			IP 44	220-240	8W Led 	0,550	480.00
9355							570.00
9360			IP 44	220-240	8W Led 	0,800	540.00
9365							640.00
9370			IP 44	220-240	8W Led 	0,400	360.00
	diameter Ø	diffusor height	length min÷max				
9340/9345	8	30	40÷230				
9350/9355	8	60	40÷260				
9360/9365	8	90	40÷290				
9370	8	30	-				
packaging	quantity	weight kg.	volume m ³				
9340/9345	1	1,000	0,040				
9350/9355	1	1,150	0,070				
9360/9365	1	1,400	0,090				
9370	1	1,000	0,040				

Material

Transparent or metallised polycarbonate



Kartelllights

PRICE LIST 2014



Taj, more than a lamp, is a three-dimensional manifestation, a luminous sculpture, a presence as much at home on our desk as on another piece of furniture. Although it is a table lamp, Taj abandons the articulated, jointed and mechanical stereotype in favour of a simple form serving the practical function for which it is intended. Beautiful either on or off, Taj uses LED technology to optimise and minimise the light source and at the same time it is a new step forward in meeting the corporate technical challenge producing an object through unique know-how.

Taj is produced in the completely "naked" transparent version, in the "frozen" satin-finished plastic version and in the black and white matte versions.

9300/W9300

Transparent

B4/crystal 

Matte

E5/glossy white 

E6/glossy black 

9310/W9310







Satin-finished

20/frozen 



Material

Transparent or batch-dyed PMMA

	insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
9300 W9300 			IP20	24V dc	4.8W Led <small>(*****)</small>	2.500
9310 W9310 			IP20	24V dc	4.8W Led <small>(*****)</small>	2.500
	width	height	depth			
9300/9310 W9300/W9310	15	58	61			
packing	quantity	weight kg.	volume m ³			
9300/9310 W9300/W9310	1	5.210	0.096			
	1	5.210	0.096			



Taj Mini Ferruccio Laviani



Hot on the heels of the success of the Taj LED lamp is the mini version on a smaller scale, more versatile and practical. Mini Taj is a more discreet presence on the scene and is perfect on the night table but nevertheless makes a statement; it comes in a new colour range distinguishing it from its "big sister".

9320

Transparent

B4/crystal 


Matte

E5/white 



E6/black 

07/grey 

12/green 

20/azure 

10/orangy red 

insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
9320 		IP20	24V dc	2,8 W Led <small>(xxxxxxx)</small>	0.600



width	height	depth	
9320	9.5	33	32.5

Material

Transparent or batch-dyed PMMA

packing	quantity	weight kg.	volume m ³
9320	4	4.600	0.090





A lamp with an inimitable style, Bourgie is one of Kartell's best sellers, skilfully combining classic style, richness and tradition with innovation and irony.


The baroque style base is composed of three interconnecting decorated layers, while the large lampshade is made with a pleated effect, to create a myriad play of reflections when the lamp is turned on.

The lamp shade's unique attachment system makes three different heights possible which can be adjusted according to the desired use: 68, 73 and 78 centimetres. Bourgie becomes a gorgeous decorative desk or table lamp. Thanks to its flexibility and strong communication value, it can be used on an side-table in the living room, to create atmosphere on your nightstand, as a standing sculpture or for reading.

After the great success of the transparent, black, gold, silver and white/gold versions, Kartell now offers three new and surprising multicolour versions, perfect for those who dare to be original and nonconformist.

9070 / B9070 / U9070 / Z9070

B4/crystal	
Q8/black	




insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
------------------	-----------------	----------------------	--------------	----------------------	------------

IP 20		IP 20	220-240	E14 IBA max 3x28W Halo	3,400
-------	--	-------	---------	------------------------	-------

IP 20		IP 20	120	E12 type B max 3x40W	3,400
-------	--	-------	-----	----------------------	-------

9072 / B9072 / U9072 / Z9072

Metallic	
00/silver	
X1/ multicoloured titanium	
X2/ multicoloured fuchsia	
X3/ multicoloured light blue	




IP 20		IP 20	220-240	E14 IBA max 3x28W Halo	3,400
-------	--	-------	---------	------------------------	-------

IP 20		IP 20	120	E12 type B max 3x40W	3,400
-------	--	-------	-----	----------------------	-------

9074 / B9074 / U9074 / Z9074

Metallic gold	
00/gold	




IP 20		IP 20	220-240	E14 IBA max 3x28W Halo	3,400
-------	--	-------	---------	------------------------	-------

IP 20		IP 20	120	E12 type B max 3x40W	3,400
-------	--	-------	-----	----------------------	-------

9076 / B9076 / U9076 / Z9076

	exterior	interior
00/white-gold		



IP 20		IP 20	220-240	E14 IBA max 3x28W Halo	3,400
-------	--	-------	---------	------------------------	-------

IP 20		IP 20	120	E12 type B max 3x40W	3,400
-------	--	-------	-----	----------------------	-------



diameter height

9070 / B9070 / U9070 / Z9070	37	68÷78
9072 / B9072 / U9072 / Z9072	37	68÷78
9074 / B9074 / U9074 / Z9074	37	68÷78
9076 / B9076 / U9076 / Z9076	37	68÷78

Material

9070 / B9070 / U9070 / Z9070:

transparent or batch-dyed polycarbonate

9072 / B9072 / U9072 / Z9072:

metallic ABS

9074 / B9074 / U9074 / Z9074:

metallic ABS

9076 / B9076 / U9076 / Z9076:

batch-dyed and metallic polycarbonate

packaging	quantity	weight kg.	volume m ³
9070 / B9070 / U9070 / Z9070	1	5,500	0,129
9072 / B9072 / U9072 / Z9072	1	5,500	0,129
9074 / B9074 / U9074 / Z9074	1	5,500	0,129
9076 / B9076 / U9076 / Z9076	1	5,500	0,129





A lamp as precious as Murano glass, as irreverent as a rock opera: Bloom literally blooms in a scintillating and lavish crystal cascade.

Bloom is a tubular polycarbonate framework entirely covered by a structure of tiny transparent polycarbonate double corolla flowers. The result is an industrially produced lamp but with all the forms and stylistic complexity of a unique handcrafted piece. A series of little lights located within the skeletal structure beams the light shafts through the petals to refract on their faceted surfaces and multiply a thousand reflections.

Available in the elegant transparency of crystal, matte white or black and in a sexy mix of pink and black, Bloom is a new way of interpreting a traditional lamp with that special added touch. A work of art that can furnish and fill a room all by itself, creating that atmosphere of "shining splendour".

9250 / 9251

Transparent

B4/crystal	
RN/pink-black	

Mat

03/white	
09/black	



9250

9251

9250/9251

insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
		IP20 class II	220-240	G9 9x33 Halo	7,900
		IP20 class II	120	G9 9x33 Halo	7,900
diameter Ø	height shade	length min÷max			
53	70	80÷240			

Material

Frame: Transparent or batch-dyed polycarbonate
Flowers: Batch-dyed technopolymer thermoplastic

packaging	quantity	weight kg.	volume m ³
9250/9251	1	9.200	0,140





How do you like the idea of having a floral arrangement above the table? The Bloom New lamp family with its elliptical shape and its distinctive original structure covered by sparkling polycarbonate flowers as pure and precious as crystal comes in three different sizes with various functions - hanging, wall or ceiling fixture. As delicate as a spring bouquet, the Bloom lights offer new and sophisticated multi-colour nuances in lavender and mint or an elegant transparent white monochrome. A series of little lights located within the frame beams the light shafts through the flowers to refract on the faceted surfaces of the petals and multiply a thousand reflections

The most recent arrival of the hanging version is the extra-large Big Bloom S0 which is perfect for both the home and public environments for a touch of elegance and dazzle. This version can stand alone or be used together with the smaller Bloom models (S1 and S2) to create splendid lighting compositions.

		mounting class	insulation	direct	voltage protection	volt	plug max power	weight kg.
9260 S2					IP20 class II	220-240	G9 max3x33 Halo	1,620
9261 S2					IP20 class II	120	G9 max3x33 Halo	1,620
9260/9261		diameter Ø	height shade	length cable				
		28	19	29÷219				
9265 S1					IP20 class II	220-240	G9 max6x33 Halo	5,900
9266 S1					IP20 class II	120	G9 max6x33 Halo	5,900
9265/9266		diameter Ø	height shade	length cable				
		53	35	45÷235				
9280 S0					IP20 class II	220-240	G9 max9x33 Halo	14.600
9280 S0					IP20 class II	120	G9 max9x33 Halo	14.600
		diameter Ø	height diffuser	length min÷max				
		80	51.5	60÷250				
9270 CW2					IP20 class II	220-240	G9 max3x33 Halo	1,620
9271 CW2					IP20 class II	120	G9 max3x33 Halo	1,620
9270/9271		diameter Ø	height shade					
		28	22					
9275 C1					IP20 class II	220-240	G9 max6x33 Halo	5,900
9276 C1					IP20 class II	120	G9 max6x33 Halo	5,900
9275/9276		diameter Ø	height shade					
		53	39					
packing		quantity	weight kg.	volume m³				
9260/9261		1	2.350	0.025				
9265/9266		1	6.900	0.059				
9270/9271		1	2.320	0.102				
9275/9276		1	6.900	0.028				
9280/9281		1	18.000	0.059				

9260 / 9261 / 9265 / 9266 / 9280
9270 / 9271 / 9275 / 9276 / 9281

Transparent

B4/crystal	
LV/lavender	
MN/mint	

Matte

O3/white	
----------	--



Material

Technopolymer thermoplastic batch-dyed





The classic image of the bedside lamp has been revisited by Kartell technology and transformed into an industrial product. Made of transparent or coloured injected polycarbonate, Take is available in various chromatic tones. The shape comes from the joining of two joined symmetrical parts: two flat, rectangular and two-dimensional plates which each assume the shape and volume of a half-lamp. The internal pleating of the lampshade embellishes the item, creating a play of light when turned on. The optimum value for money and perfect packaging for a cash-and-carry product make it an excellent gift idea. It is available in a master box of 6 lamps containing the following colours: Q1, Q2, Q3, Q4, Q5, Q6.

9050 / B9050 / U9050 / Z9050

Transparent

B4/crystal	
Q1/green	
Q2/smoke	
Q3/red	
Q4/orange	
Q5/blue	
Q6/yellow	

CV (Q1, Q2, Q3, Q4, Q5, Q6) *

Mat

Q7/white	
Q8/black	



		insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
9050 B9050				IP 20	220-240	E14 IBA max 28W Halo	0,916
U9050 Z9050				IP 20	120	E12 type B max 40W	0,916
		width	height	depth			
9050 / B9050 / U9050 / Z9050		18,5	30	17,5			

Material

Transparent or batch-dyed polycarbonate

*: Masterbox packaging containing 6 lamps. Available only for the 220-240V with Type C (IEC 83:1975) bipolate plug

packaging	quantity	weight kg.	volume m ³
9050 / B9050 / U9050 / Z9050	6	6,500	0,080





The table lamp typical of the seventies given new form and colour. The Cindy lamp with a conical lampshade and rounded teardrop base comes in a broad range of all matte metallic tones: platinum, dark gold, mint green, orange, blue, pink, gun metal and violet. Cindy's special feature is its shiny chrome-like finish that gives it just that twist of the contemporary, that touch of richness, radiating a multitude of iridescent reflections.

9100 / B9100 / U9100 / Z9100

Metallic

M3/mint green	
M5/blue	
M8/violet	
M6/fuchsia pink	
M4/orange	
M2/dark gold	
M7/gun metal	
M1/platinum	



	class insulation	assembly direct	degree of protection	voltage volts	socket max power	weight unit kg.
9100 B9100 			IP 20	220-240	E27 IBA max 25W globo	1,200
U9100 Z9100 			IP 20	120	E26 SB CFL max 25W globo 	1,200
	diameter Ø	height				
9100 / B9100 / U9100 / Z9100	23,6	42				

Material
Metallic ABS

packaging	quantity	weight kg.	volume m³
9100 / B9100 / U9100 / Z9100	1	2,230	0,031





Rectangular table lamp featuring extremely clean lines: squared off lines vaguely reminiscent of an Art Decò mood. Tati is composed of a solid body of transparent PMMA enclosing an interior diffusor and comes in either solid colour methacrylate in opaline or black or in pleated material with a chrome steel weight in the support. The rigour in material and form, far from making it cold and chilly, on the contrary, creates an object of bourgeois allure yet with contemporary lines that will fit in anywhere. Plays of chromatic light are such that when Tati is turned off, the full colour of its surface is revealed, whereas when turned on, the intensity of light filtering from its sides illuminates its whole body.

9150 / B9150 / U9150 / Z9150

03/white


9160 / B9160 / U9160

09/black

PP/pleated



**9150
B9150
9160
B9160**



class insulation	assembly direct	degree of protection	voltage volts	socket max power	weight unit kg.
------------------	-----------------	----------------------	---------------	------------------	-----------------



IP 20

220-240

FC5
22W
T5 ring

6,500



hot light


width	height	depth
-------	--------	-------

47

46

15

**U9150
U9160
Z9150
Z9160**



class insulation	assembly direct	degree of protection	voltage volts	socket max power	weight unit kg.
------------------	-----------------	----------------------	---------------	------------------	-----------------



IP 20

120

FC5
22W
T5 ring

6,500



hot light

width	height	depth
-------	--------	-------

**9150 / B9150 / U9150 / Z9150
9160 / B9160 / U9160 / Z9160**

47


46

15

packaging	quantity	weight kg.	volume m ³
-----------	----------	------------	-----------------------

Material
Structure: PMMA and metallic ABS
Shade: PMMA or pleated fabric

9150 / B9150 / U9150 / Z9150	1	8,200	0,060
9160 / B9160 / U9160 / Z9160	1	8,200	0,060



L'ARCHITETTURA DEGLI ALBERI
L'ACHAPELLE L'ANNO



Toobe is available in both floor and table lamp versions. It was conceived from the idea of using a PMMA extruded tube, which creates a surprising smoked effect thanks to an innovative colouring technology. With simple and modern lines, Toobe diffuses a soft and warm light. It comes equipped with an energy-saving bulb that lasts up to ten times longer and consumes five times less energy than a conventional incandescent bulb. The handle in the lamp body makes the pole functional and easy to move.

9060 / B9060 / U9060 / Z9060
9065 / B9065 / U9065 / Z9065

Transparent

B4/crystal	
K2/blue	
K3/red	
K4/orange	
K8/green	



9060
B9060



U9060
Z9060

9065
B9065



U9065
Z9065

insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
		IP 20	220-240	E27 IAA max 25W 	9,500
		IP 20	120	E26 SB CFL max 25W 	9,500
		IP 20	220-240	E27 IAA max 25W 	2,500
		IP 20	120	E26 SB CFL max 25W 	2,500

diameter Ø height

9060 / B9060 / U9060 / Z9060 20 170
9065 / B9065 / U9065 / Z9065 20 55

Material

Frame: transparent or batch-dyed PMMA

Diffusor: polycarbonate

packaging	quantity	weight kg.	volume m ³
9060 / B9060 / U9060 / Z9060	1	11,000	0,150
9065 / B9065 / U9065 / Z9065	1	3,500	0,047



A lamp of simple and essential design, available in two versions, wall sconce and suspension lamp. The wall sconce is composed of a rosette lampshade in pleated polycarbonate available in several colours with an 11 cm chrome arm. The É suspension lamp consists of a pleated polycarbonate lampshade and a chrome rosette. The cable can be adjusted in height from 20 to 220 cm. Both versions take a 40 Watt light-bulb.



9040 / 9041
9045 / 9046

Transparent

B4/crystal	
P1/rose	
P2/light blue	
P4/yellow	
P8/green	

Mat

Q7/white	
Q8/black	



		insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
9040				IP 20	220-240	E14 IBP max 28W Halo	0,500
9041				IP 20	120	E12 type B max 40W	0,500
9045				IP 20	220-240	E14 IBP max 28W Halo	0,600
9046				IP 20	120	E12 type B max 40W	0,600
		diameter Ø	diffusor height	cable min÷max			
9040 / 9041		13,5	14,5	20÷220			
9045 / 9046		13,5	14,5				

Material

Diffusor: transparent or batch-dyed polycarbonate

Rosette: chrome-plated steel

packaging

9040 / 9041
9045 / 9046

quantity	weight kg.	volume m ³
1	0,800	0,0125
1	0,900	0,0125





Gè is a suspension lamp attached to the ceiling with a decorated polycarbonate rosette suggestive of antique Venetian chandeliers. It comes with a 37 cm diameter pleated lampshade and is made entirely of polycarbonate. Gè is available in two versions. The first provides the effects of transparency and comes in soft, sophisticated colours. The second expresses the effects of white and black combined with gold and with the chrome version. The cable can be adjusted in height from 45 to 230 cm.

9080 / 9081

Transparent

B4/crystal	
P1/rose	
P2/light blue	
P4/yellow	
P8/green	

9082 / 9083

Mat

	exterior	interior
XX/chrome-plated		
KK/white-golden		
JJ/black-golden		



	insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
9080			IP 20	220-240	E27 IBA max 70W globo Halo	1,800
9081			IP 20	120	E26 SB CFL max 25W globo	1,800
9082			IP 20	220-240	E27 IBA max 70W globo Halo	1,800
9083			IP 20	120	E26 SB CFL max 25W globo	1,800
	diameter Ø	diffusor height	length min÷max			
9080 / 9081	37	26	45÷230			
9082 / 9083	37	26	45÷230			

Material

Transparent or batch-dyed polycarbonate

packaging	quantity	weight kg.	volume m ³
9080 / 9081	1	3,200	0,063
9082 / 9083	1	3,200	0,063





On its own or with its two sisters, Easy enchants and excites with plays of colour and light once turned on, the transparent polycarbonate enhanced by a myriad reflections. Easy is a cylindrical suspension lamp with refined matching of the different transparent and sanded polycarbonate finishes. It also comes in a metallic chrome and gold version.

9010 / 9011

Transparent

W1/grey	
W3/red	
W4/orange	
W5/blue	
W6/yellow	
W7/purple	
W8/green	

9013 / 9014

Metallized

XX/chrome-plated	
GG/golden	



9010



9011



9013



9014



insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
		IP 20	220-240	E14 IBP max 28W Halo	0,720
		IP 20	120	E12 type B max 40W	0,720
		IP 20	220-240	E14 IBP max 28W Halo	0,720
		IP 20	120	E12 type B max 40W	0,720
diameter Ø	diffusor height	length min÷max			
13	33	48÷223	9010 / 9011		
13	33	48÷223	9013 / 9014		

packaging

quantity	weight kg.	volume m ³
1	0,960	0,012
1	0,960	0,012

Material

Transparent or batch-dyed polycarbonate

9010 / 9011
9013 / 9014





An essential lamp which is characterised by the "subtle interpretations of the theme". Made in transparent methacrylate in all the colours of the rainbow, the cover is not perfectly hemispherical but the cut-off is underneath the height of the diameter to collect the most light. What's more, the special transparency of the material and the sheen of the colours bring to mind a soap bubble, iridescent with reflections of light. They are packaged singly, but also come in compositions that enhance their delicate chromatic variations.

9030 / 9031

Transparent

K1/petrol blue	
K2/light blue	
K3/red	
K4/orange	
K5/cobalt	
K6/yellow	
K7/cardinal red	
K8/emerald	
K9/sage	

Mat

03/white	
09/black	



	insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
9030 			IP 20	220-240	E27 IBA max 25W globo	1,900
9031 			IP 20	120	E26 SB CFL max 25W globo	1,900
	diameter Ø	diffusor height	length min+max			
9030 / 9031	52	33	48÷223			

Material
Batch-dyed PMMA
















packaging	quantity	weight kg.	volume m ³
9030 / 9031	1	4,000	0,128



Neutra Ferruccio Laviani



Minimalist, elegant and strict. Neutra is a circular, extra-large hanging lamp, composed of two shell-like elements which enclose the structure like a snap-together toy. The structure's unusual shape diffuses the light uniformly over the entire surface, while a simple regulation system makes it easy to adjust. The ideal lamp for contract use or for very large rooms.

		insulation class	directly fitted	degree of protection	tension volt	attachment max power	weight kg.
9090 / 9091	Mat						
	03/white-white	<input type="checkbox"/>	<input type="checkbox"/>				
	09/black-white	<input checked="" type="checkbox"/>	<input type="checkbox"/>				
							
	9090			IP 20	220-240	FC5 40W+22W	12,000
					circline T5		
					warm light		
					cold light		
	9091			IP 20	120	FC5 40W+22W	12,000
					circline T5		
					warm light		
					cold light		
	9090 / 9091	diameter Ø	diffusor height	cable min÷max			
		90	22	40÷230			
Material	packaging	quantity	weight kg.	volume m ³			
Internal frame: polycarbonate	9090 / 9091	1	11,600	0,294			
Diffusor: batch-dyed PMMA							



1. CERTIFICATIONS: Lighting Regulations

REFERENCE MARKS

CE – indicates the conformity of the products bearing the acronym with the essential requisites of European Community directives.

ENEC – the European trademark for high quality in electrical products which indicates conformity with current European regulations is recognised as the equivalent of the individual national trademarks in 20 European countries, signatories to the Lum Agreement.

GOST-R – Russian trademark of quality for electrical products. It certifies product conformity with current Russian regulations.

cUL – American and Canadian trademark of quality for electrical products. It certifies product conformity with current American and Canadian regulations.

PSE – Japanese trademark of quality for electrical products. It certifies product conformity with current Japanese regulations.

NOM – Mexican trademark of quality for electrical products. It certifies product conformity with current Mexican regulations.

KTL (EK) – Korean trademark of quality for electrical products. It certifies product conformity with current Korean regulations.

CB Certificate (Australia) – Certification attesting product conformity with international IEC regulations, can be issued with specific national deviations. (Australia)

CB Certificate – Certification attesting product conformity with international IEC regulations.

ECO-CONTRIBUTION

Introduced in Legislative Decree no. 151 dated 25 July 2005 (updating directives 2002/95/EC, 2002/96/EC and 2003/108/EC), the eco-contribution is an environmental charge used to pay for waste management of electrical and electronic equipment (WEEE). This charge is used to finance all phases of treatment, transport, recovery and disposal of electrical and electronic appliances. Kartell lighting prices include the WEEE.


NOTICE PURSUANT TO ARTICLE 13 OF LEGISLATIVE DECREE NO. 151 DATED 25 JULY 2005.



Directive 2002/96/CE (waste electrical and electronic equipment: WEEE):

User information: pursuant to article 13 of Legislative Decree no. 151 dated 25 July 2005, no. 151 "Updating of Directives 2002/95/EC, 2002/96/EC and 2003/108/EC, regarding the reduction in the use of dangerous substances in electrical and electronic equipment, and the disposal of waste" this product is conform.

The barred bin symbol on the equipment or their packaging indicates that at the end of its useful life, the product must be disposed of separately from other waste. The user must take the equipment to an authorised recycling centre for electronic and electric waste, or return it to the original vendor when purchasing an equivalent product, on a one-to-one basis. The appropriate collection for environmentally-compatible recycling, treatment and disposal contributes to avoiding possible negative effects on the environment and its health and encourages the reuse and/or recycling of the materials used in the equipment. Improper disposal of the product by the user will result in the application of the administrative sanctions stipulated by regulations in force.



2. Sales terms

GENERAL TERMS OF SALE - EXCLUSIVELY RESERVED TO KARTELL RETAILERS

The present list replaces in full every previous or other price list with effect from February 1st, 2013.

• **Overview:** the following conditions apply to any supply contract stipulated by Kartell S.p.A., except for those contracts that include written exemptions from this rule.

• **Ownership:** in accordance with and for the purposes of Articles 1523-1526 of the Italian Civil Code, ownership of the goods delivered will only be transferred at the time of full payment of the price.

In the case of hire purchase and default of the purchaser, Kartell shall retain any instalments already paid by way of compensation.

Order payment may not be suspended or delayed by customer claims or exceptions for any reason nor may the customer compensate amounts payable and receivable to/from Kartell

Failure to pay or only partial payment of any amount owed to Kartell shall automatically place the client in default with the consequent expiry of the time limit and the simultaneous right of Kartell to suspend supply, refuse or cancel orders and change the commercial conditions for any future supply and to take action to ensure the payment of the entire debt, in addition to expenses, interest and greater damages.

Delayed payment will give rise to the debit of interest in accordance with Legislative Decree no. 231 of 9 October 2002 (in Official Journal no. 249, 23 October) in implementation of Directive 2000/35/CE.

• **Delivery:** It is the responsibility of the customer (whether retailer or final addressee) to carefully check upon delivery the quantity and condition of the packaging: any anomalies should be indicated to the carrier with reserve on the accompanying document and made known to Kartell under the terms stipulated in the paragraph entitled "CLAIMS".

In cases where the goods are delivered ex works to destinations outside domestic borders, the customer must return to Kartell the customs clearance documentation certifying that the goods actually exited that country.

Should the documentation not be returned within 1 month of receipt of the goods, Kartell reserves the right to change the conditions of sale in the orders accepted and in progress and to attribute to the customer by virtue of penalty, save in cases of greater damage, all charges and costs

incurred in regularising the sales transaction following such omission.

Except for deliveries made by Kartell and unless otherwise agreed in writing, transport costs and risks are at the customer's full expense, including insurance fees

New: starting in 2012 our labels will include the EAN (GTIN--13) barcode.

EAN 13 is the barcode used for marking products intended for the global market. As the name suggests, EAN 13 represents a code with 13 characters: the first three figures of the code identify the country where codification was requested by the product brand owner and the remaining figures identify the producer and the product.

In this way when you receive our packages you can read and identify the Kartell product you are receiving using any type of barcode reader.

• **Method of delivery:** the goods are delivered postage paid, except where otherwise indicated in writing by Kartell. Orders of a value less than £ 500.00 (five hundred) net will be subject to a charge of £ 40.00 (forty), as partial contribution towards the transport costs incurred.

In cases where Kartell organises the shipping, goods will be delivered only to the retailer, except in special cases which must be notified to and authorised in advance by Kartell whereby the goods will be delivered directly to the final customer with costs and liability for the account of the retailer from the time of delivery of the goods to the carrier.

Any goods returned should be authorised in writing in advance by Kartell. Unauthorised goods shall be returned to the sender and related transport costs will be charged thereto.

• **Guarantee, claims and liabilities:** Kartell products are covered by guarantee. Any claims for non conform goods or for clear defects, should be sent, under penalty of cancellation, in writing to Kartell within 8 (eight) days of receipt of the goods.

For non-evident defects, claims must be made within 8 (eight) days of its discovery but no more than 12 (twelve) months from delivery.

The paragraph entitled "CLAIMS" explains in detail how claims are to be made to Kartell.

With reference to the provisions of articles 131 and 132 of Legislative Decree no 206 of 6 September 2005, the client/retailer loses and lapses from any right to recourse if within 8 days of receipt of the complaint from the end user s/he fails to report to Kartell the

irregularities contested or discovered by the end user in accordance with the specified procedures. It is the obligation of the client/retailer to inform the end user that the original packing materials of the products must be kept for the processing of any claim against Kartell.

Kartell's liability is, in any case, limited to the value of the defective goods. Kartell therefore may not be held liable, among other things, for expenses sustained by the client or any other damage claimed (direct or indirect). Kartell shall not, furthermore, be liable for damages (including to third parties) due to the improper use or the use unrelated to the function and purpose of products or for complaints made in accordance with procedures or times different from those specified.

• **Products:** further to any product updates, Kartell reserves the right to change the technical features of the articles that it produces and to make, without any notice, changes to the product range.

• **Competent court and applicable law:** the court that is exclusively competent for any disputes is that of Milan, while the applicable law is substantially Italian (excluding any application of foreign laws).

3. CERTIFICATIONS: ISO 9001: 2008

COMPANY QUALITY CERTIFICATION: ISO 9001

In 1996, Kartell decided to certify its Corporate Quality Management System in compliance with UNI EN ISO 9001:1994 standards.

In 2005, the company aligned its Quality Management Systems with the standard UNI EN ISO 9001: 2000.

In 2008, the company renewed its ISO 9001:2000 certification.

In 2010 Kartell updated its certification standard and is now UNI EN ISO 9001:2008 certified

A guarantor for this certification process is the I.I.P. (Italian Institute of Plastics), which is itself accredited by SINCERT and CISQ, the Italian federation of accreditation bodies for Quality Management Systems.

CISQ is part of IQNET (International Certification Network), a supranational body which guarantees mutual recognition of the ISO standard in countries worldwide.

The attainment and maintenance of this certification, made possible by the commitment and perseverance of all company offices involved, testifies to the continued research into ever higher levels of quality in company management systems.

A copy of the Quality Certification can be downloaded from the corporate website www.kartell.it



4. CERTIFICATIONS: ISO 14001: 2004

RECYCLABILITY

Recyclability, sustainability, eco-compatibility - in a nutshell, respect for the environment - these are the themes which the world community takes very much to heart.

It may seem absurd to talk about environment in terms of productions having plastic materials as their common denominator. Nevertheless, contrary to common belief, Kartell products are perfectly recyclable. To simplify the recycling process, in fact, the various components of Kartell products can be easily separated out and traced back to their single material elements. The plastic parts of each product also bear clear identification markings in accordance with the DIN 6120 specification, part 2, just so that they can be correctly identified and to facilitate recycling.

DIN 6120 PART 2 - RECYCLING SYMBOLS



The code within the logo identifies the compound in accordance with the following table:

01	02	03	04	05	06	07
PET	PE-HD	PVC	PE-LD	PP	PS	O

ISO 14001 CERTIFICATION: 2004

In 2011 Kartell achieved UNI EN ISO 14001: 2004 certification for its support of an effective Environmental Management System, an international standard recognised throughout the world and developed about 10 years ago which defines development and implementation parameters in corporate processes in order to achieve an effective environmental management system.

WHAT IS ISO 14001: 2004?

This certification attests that the organization certified has implemented a management system capable of controlling environmental impact in its own business and systematically endeavours to improve it in a sustainable, effective and consistent manner. ISO 14001 certification is not obligatory but is the result of the voluntary choice of the Company which decides to define, implement, maintain and improve its own environmental management system.

The production of high quality, safe and reliable design products with low environmental impact and which are recyclable. This is the challenge that Kartell is called upon to come to grips with as protagonist in the coming years.



5. Claims

CLAIMS UPON DELIVERY OF MERCHANDISE: TRANSPORT DAMAGE

Should the following abnormalities be observed when Kartell products are delivered:

- merchandise missing with respect to accompanying document
- merchandise different with respect to accompanying document
- damaged packaging

You must:

- Express reservations in writing on the accompanying document (on both the carrier's and recipient's copy).

Written reservations must be detailed, specifically giving one of the reasons listed on the form (merchandise missing, merchandise different or packaging damaged); general reservations are not sufficient to allow proper processing of the claim.

- Complete all parts of the transport claim form: the form (facsimile shown below) may be requested from either the Kartell agent for the area or the Kartell Sales Office, using the e-mail address or fax number shown below;

KARTELL SALES DEPARTMENT

Divisione Habitat

email: info@kartellus.com

fax n°: (212) 367-3703

ONLY CLAIMS FOR TRANSPORT DAMAGE SENT TO THE E-MAIL ADDRESS OR FAX NUMBER ABOVE WILL BE CONSIDERED.

Please remember that the minimum claim resolution period is 30 days.

PRODUCT NON-CONFORMITY CLAIM

Any claim made to Kartell must be sent to

KARTELL CUSTOMER CARE OFFICE

claims@kartellus.com

• the Claim Form duly completed in all its parts. This form (a facsimile is shown hereafter) may be requested from the Kartell Quality Office, at the address shown above or from the Kartell agent for the area.

• Photographs of the alleged defect (for each defective product). If the claim concerns a new product (just received by the Retailer or just delivered by the Retailer to the end user) "full view" photographs must also be sent of its packing with photographs also of the double label (shipment and manufacturing) as indicated in the photograph shown below.

• The QUALITY CONTROL slip found inside the product tag must be kept since the data on it may be requested by the Quality Office in order to check the production lot.

KARTELL CANNOT PROCESS THE CLAIM IF ALL OR EVEN SOME OF THIS REQUIRED INFORMATION IS MISSING.

Transport claim form

Merchandise non-conformity claim form



6. Use and Maintenance

Simple care is needed for the maintenance of Kartell products to retain the original features of the materials.

PLASTIC MATERIALS

Cleaning. Use a soft damp cloth with soap or a liquid detergent, preferably diluted with water. The use of the following substances must absolutely be avoided: acetone, trichloroethylene, ethyl alcohol or detergents containing even small quantities of these substances which cause irreparable damage to the plastic of which the products are made. We recommend always using a damp cloth to prevent plastic surfaces from becoming charged with static electricity which attracts dust. Also avoid abrasive solvents, cleaning powders and creams, steel wool or rough sponge cloths.

Use. Do not drag objects across the plastic surface, even if it has a scratch resistant finish, since sharp objects can damage the plastic just as they would damage wood or metal. Do not place very hot plates or pots directly on the surface, but always use a cloth or trivet.

WOOD

Cleaning. As with plastic surfaces, use a soft damp cloth. Do not use alcohol or other spot-removers. For a deeper cleaning use a little non-abrasive liquid detergent and wipe in the direction of the wood grain. Dry the surface well with a soft cloth. Never use acetone, trichloroethylene or ammonia.

Use. Moisture in wood can cause swelling which is normal in a natural material. Our woods hold up well under normal temperature and humidity conditions. Slight color variations from one piece of wood to another are normal and these tend to disappear with time. Wood can change color over time. To delay this, it is best to avoid placing it in direct sunlight.

METALS

Cleaning. Normal dirt on either painted or plain metallic steel or aluminum surfaces must be removed with soap and water (preferably hot) and neutral liquid detergent; dry with a soft cloth or with a chamois cloth. Never use cleaning powders, abrasive or steel wool pads, which can cause scratching, or liquid detergents that contain chlorine or its derivatives such as bleach or muriatic acid.

Use. Avoid spilling grapefruit juice, cola, salt and coffee on metal surfaces. These can cause indelible stains. To remove black marks on aluminum chair legs, products especially made for steel finishes or non-abrasive car polishes are recommended.

COVER

Kartell uses different kinds of covers, for each one you may find the appropriate cleaning and usage instructions within the instruction card enclosed in the packaging.

Kartell US Inc. offers a plastic cleaner kit. Please contact customer service for more informations.



\$ 16.90 each



United States of America sales forces

KARTELL US, INC.

39 Greene Street
New York NY 10013
t. 212 367 3701
f. 212 367 3703
email: info@kartellus.com